

## 电子天平 JD-3 千分之一电子天平

电子分析天平：100g/1mg；200g/1mg；300g/1mg；400g/1mg；500g/1mg，千分之一电子天平，买电子天平送砝码，电子天平价格优惠，国内顶级电子天平品牌，北京电子天平专卖 010-61738497，[www.hengcn.com](http://www.hengcn.com) [www.zhuncn.com](http://www.zhuncn.com)


**JD-3系列多功能电子天平(千分之一)** 北京衡达准衡专卖 010-61738497

### 产品特点：

电磁力传感器，超薄外型、荧光和液晶两种显示可选、精确可靠、快速校准，具有称量、计数称量、百分比称量等多种称量方式及单位转换功能。自带RS232输出接口，实现数据与电脑、打印机或其它设备之间的通讯。  
随机配备标准外校砝码。

### 性能参数：

型号 MODEL	最大称量 CAPACITY	最小读数 READ ABILITY	称盘尺寸 PAN SIZE	外形尺寸 EXT. DIMENSION
JD1000-3	1000g	0.001g	Φ 60mm	330x200x285mm (180x180x285mm)
JD500-3	500g		Φ90mm	
JD400-3	400g			
JD300-3	300g			
JD200-3	200g			
JD100-3	100g			



### 天平特点：

电磁力传感器，超薄外型、荧光和液晶两种显示可选、精确可靠、快速校准，具有一般称量、计数称量、百分比称量等多种称量方式及单位转换功能。自带 RS232 输出接口，实现数据与电脑，打印机或其它设备之间的通讯。随机配备标准外校砝码。

1)、电源：交流 220V 电源。

- 2、显示：荧光数码管/LCD 液晶（背光）显示。
- 3、天平采用电磁力平衡传感器，精确、稳定、准确、反应速度快。
- 4、功能：置零、去皮、简易计数、百分比、单位转换。
- 5、RS-232 串口输出，可连接电脑和打印机，实现称重数据存储管理。

电子天平规格表：

型号 MODEL	最大称量 CAPACITY	最小读数 READ ABILITY	称盘尺寸 PAN STZE	外型尺寸 EXT DIMESION
JD100-3	100g	1mg	Ø 90mm	330×200×315mm
JD200-3	200g			
JD300-3	300g			
JD400-3	400g			
JD500-3	500g			

电子天平具体参数以实际产品及产品说明书为准。

Electronic Analytical Balance: 100g/1mg; 200g/1mg; 300g/1mg; 400g/1mg; 500g/1mg, one-thousandth of electronic balance, electronic balance to send to buy weights, electronic balance price, the country's top brand electronic balance, electronic balance Beijing Monopoly 010-61738497, [www.hengcn.com](http://www.hengcn.com) [www.zhuncn.com](http://www.zhuncn.com)

Balance Features:

Electromagnetic force sensor, thin shape, fluorescence and liquid crystal two display options, accurate and reliable, fast calibration. A general weighing, counting counting, percent weighing and other weighing methods and unit conversion. Comes with RS232 output



# 北京衡达准衡-电子称重系统

interface, data and computer, printer, or other communication between the devices. Random with standard external calibration weights.

1, Power: AC 220V power supply.

2, Display: Fluorescent LED / LCD LCD (backlit) display.

3, balance the use of electromagnetic force balance sensor, precise, stable, accurate, fast response.

4 functions: Zero, Tare, simple counting, percentage, unit conversion.

5, RS-232 serial output can be connected to the computer and printer, enabling weighing data storage management.

北京衡达准衡电子天平专卖 010-61738497, [www.hengcn.com](http://www.hengcn.com) [www.zhuncn.com](http://www.zhuncn.com)